

SAFE CARE®

Industrial Cleaners, Solvents & Specialty Products



SAFE CARE® Safe-T-Solve Concrete Cleaner

DESCRIPTION: *SC-Safe-T-Solve Concrete Cleaner* is an all-purpose formulation which can be used indoors or outdoors for cleaning floors, walls, sidewalks, driveways, parking garages, and runways. *SC-Safe-T-Solve Concrete Cleaner* will enhance the operation of cleaning equipment by causing the release of organic soils such as oil laden dirt, grease, automotive fluids and fuel without damaging the surface. *SC-Safe-T-Solve Concrete Cleaner* provides superior performance when used with hot or warm water in a high-pressure sprayer. *SC-Safe-T-Solve Cleaner* complies with:

- OSHA 29-CFR Ch. XVII 1910.1200 and 40 CFR Ch. 1, Subparts C & D
- USEPA 600, 4-90, 027 for aquatic toxicity
- USEPA 601 & 602 for VOC testing
- GSA SIN 375-361 & 375-363

APPLICATION: If possible, pre-wet the area with water and apply a 1 – 2% solution using high-pressure, low volume equipment. For pre-treating concrete stains, use product full strength and allow 5 – 10 minutes of dwell time before scrubbing by hand or rotary machine. A 20% solution has proven effective for most heavy-duty cleaning applications. Deeply soiled concrete may take repeated applications of product as oily soil wicks to the surface gradually. Increased temperature, dwell time or a stronger dilution will reduce the need for scrubbing.

BASIC PROPERTIES:

Appearance:	Clear, slightly viscous, light amber liquid
Odor:	Mild surfactant
Water Solubility:	100%
Boiling Point:	100°C (212°F)
Flash Point:	None
Specific Gravity:	1.017
Relative Density:	Greater than water
pH Range:	10.2 – 10.5

SAFE CARE® PRODUCTS ARE:

- Non-toxic
- Non-reactive
- Non-carcinogenic
- Readily biodegradable
- Derived from renewable resources
- Safe to use, store and dispose of

SAFE CARE® PRODUCTS DO NOT CONTAIN:

- Petroleum distillates
- Glycol ethers
- Terpenes
- Synthetics
- Builders & reagents
- Caustics

The information contained herein is believed to be correct including test data conducted under controlled laboratory conditions. Users of **SAFE CARE** products should perform their own test(s) to determine the suitability of the product for their specific application(s). For questions: techsupport@gemtek.com

A Division of **GEMTEK® Products**

3808 North 28th Avenue • Phoenix, AZ 85017 • 602-265-8586 • FAX 602-265-7241 • www.gemtek.com

